

# TETRA PARCO collection

Una famiglia di pali dal design razionalista. TETRA PARCO è una piccola struttura architettonica luminosa: il corpo a sezione quadrata è composto da due volumi separati da due montanti che sostengono la fonte luminosa. All'accensione, questa struttura effimera scompare alla vista, trasformandosi in due fasci di luce geometrica che creano sul pavimento una suggestiva alternanza di luce e di ombra. TETRA PARCO è un efficiente apparecchio per l'illuminazione di spazi aperti, aree pedonali e per l'arredo urbano.

A family of poles from rationalist design. TETRA PARCO is a small light architectural structure: the body with a square section is composed of two separate volumes by two uprights supporting the light source. At power-on, this ephemeral structure disappears from sight, transforming into two beams of geometrical light which creates a suggestive alternation of light and shadow on the floor. TETRA PARCO is an efficient tool for the lighting of open spaces, pedestrian areas and urban zones.





## INFORMAZIONI TECNICHE

Corpo in lega di alluminio estruso verniciato e resistente alla corrosione. Testa realizzata in pressofusione di alluminio verniciato e resistente alla corrosione. Protezione con trattamento di anodizzazione, fondo con polveri epossidiche e verniciatura poliesteri. Viti in acciaio inox A4.

## TECHNICAL INFORMATION

Body made of extruded aluminium alloy, corrosion resistant. Die-cast painted aluminium head, corrosion resistant. Protection with anodizing treatment, epoxy powder base coating and polyester painting. A4 stainless steel screws.




**WHITE  
COB LED  
230V**




2 OPENINGS



**50 35 611**  
**LED 3000K COB CRI>80**  
 24W / 3200 lm Nominal data  
**25,7W / 2240 lm Real data**  
 220-240V 0/50/60Hz  
**Surge protection included**  
 A / A+ / A++  
**Height 1330 mm**  
 Cable length 2 m (2 x 1 mm<sup>2</sup>)



617  
cd/klm



3000K

50 lux  
40 lux  
30 lux  
20 lux  
10 lux


**PRODUCT INFORMATION**

IP65  
 IK 10  
 12 mm flat tempered  
 extra clear glass  
 IP68 connector included

**AVAILABLE COLOURS**

■ .06 grey  
 Other colours on request

**TECHNICAL DATA**




**WHITE  
COB LED  
230V**




2 OPENINGS



**50 35 612**  
**LED 3000K COB CRI>80**  
 24W / 3200 lm Nominal data  
**25,7W / 2240 lm Real data**  
 220-240V 0/50/60Hz  
**Surge protection included**  
 A / A+ / A++  
**Height 1930 mm**  
 Cable length 2 m (2 x 1 mm<sup>2</sup>)



617  
cd/klm



3000K

50 lux  
40 lux  
30 lux  
20 lux  
10 lux

**TECHNICAL DATA**



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)  
 Available upon request without surcharge (for the code composition, please refer to page 9)

**HELP YOU**

**LED** LED COLOURS  
 TEMPERATURE  
 4000K

Other LED colours  
 available on request

**COLORS** SURFACE FINISH

- .01 black
- .02 white
- .07 corten
- .08 anthracite
- .09 bronze

**INFO**  
 Ulteriori versioni sono  
 disponibili consultando  
[www.platek.eu](http://www.platek.eu)

More versions are available on  
[www.platek.eu](http://www.platek.eu)

**ACCESSORI** (per maggiori dettagli consultare pagina 321)  
**ACCESSORIES** (for further details please refer to page 321)



**FIXING**  
 page 340  
**89 50 090** - Tie rod



More details at:  
[platek.eu/  
 TETRAPARCO](http://platek.eu/TETRAPARCO)


WHITE  
COB LED  
230V




2 OPENINGS



**50 35 613**  
**LED 3000K COB CRI>80**  
 37W / 4350 lm Nominal data  
**38,4W / 3045 lm Real data**  
 220-240V 0/50/60Hz  
**Surge protection included**  
 A / A+ / A++  
**Height 2270 mm**  
 Cable length 4 m (2 x 1 mm<sup>2</sup>)



617  
cd/klm



3000K

50 lux  
40 lux  
30 lux  
20 lux  
10 lux

2,5 0 2,5 (m)

PRODUCT INFORMATION

IP65  
 IK 10  
 12 mm flat tempered  
 extra clear glass  
 IP68 connector included

AVAILABLE COLOURS

.06 grey  
 Other colours on request

TECHNICAL DATA



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)  
 Available upon request without surcharge (for the code composition, please refer to page 9)

HELP YOU

**LED**  
 LED COLOURS  
 TEMPERATURE  
 4000K

Other LED colours  
 available on request

**COLORS** **SURFACE FINISH**

- .01 black
- .02 white
- .07 corten
- .08 anthracite
- .09 bronze


**ACCESSORI** (per maggiori dettagli consultare pagina 321)  
**ACCESSORIES** (for further details please refer to page 321)



**FIXING**  
 page 340  
**89 50 090** - Tie rod

**INFO**  
 Ulteriori versioni sono  
 disponibili consultando  
[www.platek.eu](http://www.platek.eu)

More versions are available on  
[www.platek.eu](http://www.platek.eu)



More details at:  
[platek.eu/  
 TETRAPARCO](http://platek.eu/TETRAPARCO)

WHITE  
COB LED  
230V



2 OPENINGS



50 35 614

LED 3000K COB CRI>80

37W / 4350 lm Nominal data

38,4W / 3045 lm Real data


220-240V 0/50/60Hz

Surge protection included


A / A+ / A++

Height 2600 mm

Cable length 4 m (2 x 1 mm<sup>2</sup>)



617  
cd/klm



3000K

61 lux  
48 lux  
35 lux  
22 lux  
9 lux

2,5 0 2,5 (m)


PRODUCT INFORMATION

IP65  
IK 10  
12 mm flat tempered  
extra clear glass  
IP68 connector included

AVAILABLE COLOURS

.06 grey  
Other colours on request

TECHNICAL DATA



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)  
Available upon request without surcharge (for the code composition, please refer to page 9)

HELP YOU

LED  
LED COLOURS  
TEMPERATURE  
4000K

Other LED colours  
available on request

COLORS SURFACE FINISH

- .01 black
- .02 white
- .07 corten
- .08 anthracite
- .09 bronze

ACCESSORI (per maggiori dettagli consultare pagina 321)  
ACCESSORIES (for further details please refer to page 321)



FIXING  
page 340  
89 50 090 - Tie rod

INFO  
Ulteriori versioni sono  
disponibili consultando  
www.platek.eu

More versions are available on  
www.platek.eu



More details at:  
platek.eu/  
TETRAPARCO