



# TRIS collection

Questa collezione è definita da linee classiche ed eleganti, grazie ad un design lineare e sobrio, privo di spigoli e generato da un volume cilindrico. La parte superiore della struttura è separata da quella inferiore e alleggerita da 3 montanti. Quando accesa, la struttura di TRIS scompare alla vista, trasformandosi in luce. Una serie dedicata all'arredo urbano, adatta per aree pedonali e parchi.

This collection is defined by classic elegant lines because of a linear design which is sober, free of sharp corners and generated by a cylindrical volume. The upper part of the structure is separated from the lower one and it is lightened by 3 posts. When on, the structure of TRIS disappears from sight, transformed into light. A series dedicated to the urban furniture, suitable for pedestrian areas and parks.





## INFORMAZIONI TECNICHE


Corpo in lega di alluminio estruso verniciato e resistente alla corrosione. Testa realizzata in pressofusione di alluminio verniciato e resistente alla corrosione. Protezione con trattamento di anodizzazione, fondo con polveri epossidiche e verniciatura poliesteri. Viti in acciaio inox A4. Flangia di fissaggio a pavimento completamente a scomparsa.

## TECHNICAL INFORMATION



Body made of extruded aluminium alloy, corrosion resistant. Die-cast painted aluminium head and base, corrosion resistant. Protection with anodizing treatment, epoxy powder base coating and polyester painting. A4 stainless steel screws. 4 mm flat tempered glass. Completely hidden ground fixing plate.



**WHITE  
COB LED  
230V**



**33 33 611**  
**LED 3000K COB CRI>80**  
 17W / 2400 lm Nominal data  
**20,8W / 1660 lm Real data**  
 220-240V 50/60Hz   
**Surge protection included**  
 A / A+ / A++  
**IP68 connector included**  
 Height 900 mm  
 Cable length 0,5 m (2 x 1 mm<sup>2</sup>)




**PRODUCT INFORMATION**

IP66  
 IK 10  
 4 mm anti-glare clear  
 PMMA lens


**AVAILABLE COLOURS**

.06 grey  
 .08 anthracite  
 Other colours on request



**TECHNICAL DATA**




**WHITE  
COB LED  
230V**



**33 33 612**  
**LED 3000K COB CRI>80**  
 24W / 3200 lm Nominal data  
**29,5W / 2235 lm Real data**  
 220-240V 50/60Hz   
**Surge protection included**  
 A / A+ / A++  
 Height 1800 mm  
 Cable input Ø 4÷16 mm



**TECHNICAL DATA**



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)  
 Available upon request without surcharge (for the code composition, please refer to page 9)

**HELP YOU**

**LED**  
 LED COLOURS  
 TEMPERATURE  
 4000K




Other LED colours  
 available on request

**COLORS**  
**FINISHES**  
 .01 black  
 .02 white  
 .07 corten  
 .09 bronze

**INFO**  
 Ulteriori versioni sono  
 disponibili consultando  
[www.platek.eu](http://www.platek.eu)


More versions are available on  
[www.platek.eu](http://www.platek.eu)

**ACCESSORI** (per maggiori dettagli consultare pagina 321)  
**ACCESSORIES** (for further details please refer to page 321)







**WHITE  
COB LED  
230V**



360°




**33 33 613**  
**LED 3000K COB CRI>80**  
 37W / 4350 lm Nominal data  
**45W / 3075 lm Real data**  
 220-240V 50/60Hz   
**Surge protection included**  
 A / A+ / A++  
 Height 3600 mm  
 Cable input Ø 4÷16 mm



360°

309  
cd/klm





3000K  
@1050 mA

45 lux  
33 lux  
23 lux  
13 lux  
3 lux

**PRODUCT INFORMATION**

IP66  
 IK 10  
 4 mm anti-glare clear  
 PMMA lens

**AVAILABLE COLOURS**

 .06 grey  
 .08 anthracite  
 Other colours on request

**TECHNICAL DATA**







**Disponibile su richiesta senza maggiorazione di prezzo** (per la composizione del codice consultare pagina 8)  
**Available upon request without surcharge** (for the code composition, please refer to page 9)

**HELP YOU**

**LED**  
**LED COLOURS**  
**TEMPERATURE**  
 4000K


Other LED colours  
 available on request

**COLORS**  
**FINISHES**  
 .01 black  
 .02 white  
 .07 corten  
 .09 bronze

**INFO**  
 Ulteriori versioni sono  
 disponibili consultando  
[www.platek.eu](http://www.platek.eu)

More versions are available on  
[www.platek.eu](http://www.platek.eu)

**ACCESSORI** (per maggiori dettagli consultare pagina 321)  
**ACCESSORIES** (for further details please refer to page 321)



**FIXING**  
 page 341  
**89 50 075** - Tie rod



**FIXING**  
 page 341  
**89 50 080** - Recessed



**SHIELD**  
**89 01 045.01** - Shield



More details at:  
[platek.eu/TRIS](http://platek.eu/TRIS)