


TUBE collection

Funzionalità, risparmio energetico e stile minimale sono le caratteristiche dei nuovi pali e paletti TUBE, una collezione polifunzionale per l'arredo urbano, che si adatta a contesti sia classici che contemporanei. Perfetto connubio fra essenzialità dei volumi e solidità strutturale, è ideale per progetti di spazi sia pubblici che privati, votati alla sostenibilità ed all'armonia formale.

Functionality, energy saving and minimalist style are the features of the new stalks and TUBE posts, a polyfunctional collection for urban furniture that adapts to environments classical and contemporary. The perfect union between essentiality of volumes and structural solidity, is ideal for projects of spaces in public and private areas, made for sustainability and for the formal harmony.





INFORMAZIONI TECNICHE

Corpo in lega di alluminio estruso verniciato e resistente alla corrosione. Testa realizzata in pressofusione di alluminio verniciato e resistente alla corrosione. Protezione con trattamento di anodizzazione, fondo con polveri epossidiche e verniciatura poliesteri. Viti in acciaio inox A4.

TECHNICAL INFORMATION

Body made of extruded, corrosion resistant, aluminium alloy. Head made in corrosion resistant and painted die-cast aluminium. Protection with anodizing treatment, epoxy powder base coating and polyester painting. A4 stainless steel screws.




WHITE
LED
230V



360°




33 65 610
LED 3000K CRI>80
8W / 1000 lm Nominal data
10W / 610 lm Real data
220-240V 0/50/60Hz
Surge protection included
A / A+ / A++
Transparent PMMA diffuser
Height 260 mm



360°

257
cd/klm



3000K


101 lux
76 lux
51 lux
26 lux
1 lux



DIFFUSE




33 66 610
LED 3000K CRI>80
8W / 1000 lm Nominal data
10W / 415 lm Real data
220-240V 0/50/60Hz
Surge protection included
A / A+ / A++
Frosted PMMA diffuser
Height 260 mm



diffuse

151
cd/klm



3000K

82 lux
62 lux
42 lux
22 lux
2 lux

PRODUCT INFORMATION

IP66
IK 10
PMMA diffuser
Cable input Ø 5-12 mm

AVAILABLE COLOURS

.06 grey
Other colours on request

TECHNICAL DATA



160

Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)
Available upon request without surcharge (for the code composition, please refer to page 9)

HELP YOU

LED
LED COLOURS
TEMPERATURE
4000K
RGBW

Other LED colours
available on request

COLORS FINISHES
.01 black
.02 white
.07 corten
.08 anthracite
.09 bronze

ACCESSORI (per maggiori dettagli consultare pagina 321)
ACCESSORIES (for further details please refer to page 321)



FIXING
page 340
89 50 035 - Tie rod


INFO
Ulteriori versioni sono
disponibili consultando
www.platek.eu

More versions are available on
www.platek.eu





More details at:
platek.eu/
TUBE



WHITE
LED
230V



33 65 611
LED 3000K CRI>80
 18W / 2000 lm Nominal data
20W / 1150 lm Real data
 220-240V 50/60Hz
Surge protection included
 A / A+ / A++
 Transparent PMMA diffuser
Height 1000 mm
 Cable length 0,5 m (2 x 1 mm²)



33 66 611
LED 3000K CRI>80
 18W / 2000 lm Nominal data
20W / 980 lm Real data
 220-240V 50/60Hz
Surge protection included
 A / A+ / A++
 Frosted PMMA diffuser
Height 1000 mm
 Cable length 0,5 m (2 x 1 mm²)




PRODUCT INFORMATION

IP66
IK 10
PMMA diffuser

AVAILABLE COLOURS

.06 grey
Other colours on request

TECHNICAL DATA



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)
 Available upon request without surcharge (for the code composition, please refer to page 9)

HELP YOU

LED
LED COLOURS
TEMPERATURE
4000K
RGBW

Other LED colours
available on request

COLORS FINISHES
 .01 black
 .02 white
 .07 corten
 .08 anthracite
 .09 bronze

ACCESSORI (per maggiori dettagli consultare pagina 321)
 ACCESSORIES (for further details please refer to page 321)

FIXING
page 340
89 50 075 - Tie rod

RECESSED HOUSING
page 341
89 50 080


INFO
Ulteriori versioni sono
disponibili consultando
www.platek.eu

More versions are available on
www.platek.eu




More details at:
platek.eu/
TUBE

WHITE
LED
230V





360°





DIFFUSE



33 65 613
LED 3000K CRI>80
39W / 4512 lm Nominal data
42W / 2840 lm Real data
220-240V 50/60Hz
Surge protection included
A / A+ / A++
Transparent PMMA diffuser
Height 3000 mm



33 66 613
LED 3000K CRI>80
39W / 4512 lm Nominal data
42W / 2020 lm Real data
220-240V 50/60Hz
Surge protection included
A / A+ / A++
Frosted PMMA diffuser
Height 3000 mm




PRODUCT INFORMATION

IP66
IK 10
PMMA diffuser
Cable input Ø 4÷16 mm

AVAILABLE COLOURS

.06 grey
Other colours on request

TECHNICAL DATA



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)
Available upon request without surcharge (for the code composition, please refer to page 9)

HELP YOU

LED
LED COLOURS
TEMPERATURE
4000K
RGBW

Other LED colours
available on request

COLORS
FINISHES
■ .01 black
■ .02 white
■ .07 corten
■ .08 anthracite
■ .09 bronze

ACCESSORI (per maggiori dettagli consultare pagina 321)
ACCESSORIES (for further details please refer to page 321)

FIXING
page 340
89 50 090 - Tie rod

RECESSED HOUSING
page 341
89 50 080

INFO
Ulteriori versioni sono
disponibili consultando
www.platek.eu


More versions are available on
www.platek.eu




More details at:
[platek.eu/
TUBE](http://platek.eu/TUBE)



WHITE
LED
230V





360°





DIFFUSE



33 65 614
LED 3000K CRI>80
39W / 4512 lm Nominal data
42W / 2840 lm Real data
220-240V 50/60Hz
A / A+ / A++
Transparent PMMA diffuser
Height 4000 mm



33 66 614
LED 3000K CRI>80
39W / 4512 lm Nominal data
42W / 2020 lm Real data
220-240V 50/60Hz
A / A+ / A++
Frosted PMMA diffuser
Height 4000 mm




PRODUCT INFORMATION

IP66
IK 10
PMMA diffuser

AVAILABLE COLOURS

.06 grey
Other colours on request

TECHNICAL DATA



Disponibile su richiesta senza maggiorazione di prezzo (per la composizione del codice consultare pagina 8)
Available upon request without surcharge (for the code composition, please refer to page 9)

HELP YOU

LED
LED COLOURS
TEMPERATURE
4000K
RGBW

Other LED colours
available on request

COLORS
FINISHES
■ .01 black
■ .02 white
■ .07 corten
■ .08 anthracite
■ .09 bronze

INFO
Ulteriori versioni sono
disponibili consultando
www.platek.eu

More versions are available on
www.platek.eu

ACCESSORI (per maggiori dettagli consultare pagina 321)
ACCESSORIES (for further details please refer to page 321)

FIXING
page 340
89 50 090 - Tie rod

RECESSED HOUSING
page 341
89 50 080



More details at:
[platek.eu/
TUBE](http://platek.eu/TUBE)